

Weed Flora of Kashmir Valley



Journal of Economic and Taxonomic Botany Additional Series I

**WEED FLORA
OF
KASHMIR VALLEY**

Maharaj Krishen Kaul



Published by

SCIENTIFIC PUBLISHERS (INDIA)

5 A, New Pali Road, P.O. Box 91

Jodhpur 342 001 (INDIA)

E-mail: info@scientificpub.com

Website: www.scientificpub.com

Print : 2019

All rights reserved. No part of this publication or the information contained herein may be reproduced, adapted, abridged, translated, stored in a retrieval system, computer system, photographic or other systems or transmitted in any form or by any means, electronic, mechanical, by photocopying, recording or otherwise, without written prior permission from the publisher.

Disclaimer: Whereas every effort has been made to avoid errors and omissions, this publication is being sold on the understanding that neither the editors (or authors) nor the publishers nor the printers would be liable in any manner to any person either for an error or for an omission in this publication, or for any action to be taken on the basis of this work. Any inadvertent discrepancy noted may be brought to the attention of the publisher, for rectifying it in future editions, if published.

This book contains information obtained from authentic and highly regarded sources. Reasonable efforts have been made to publish reliable data and information, but the editors and publisher cannot assume responsibility for the validity of all materials or the consequences of their use. The editors and publisher have attempted to trace and acknowledge the copyright holders of all material reproduced in this publication and apologize to copyright holders if permission and acknowledgment to publish in this form have not been obtained. If any copyright material has not been acknowledged please write and let us know so that we may rectify it.

Trademark Notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

ISBN: 978-81-85046-28-0

ISBN: 978-93-88449-61-8

© 1986, M.K. Kaul

Edited by: A.P. Jain

Printed in India

ACKNOWLEDGEMENTS

I want to put on record a deep sense of gratitude to Late Rev. Father Dr. H. Santapau, an eminent Botanist for initiating this study. I am also extremely grateful to Prof. P. V. Bole, ex-Head of the Department of Botany, St. Xavier's College, Bombay, for his continuous guidance after the death of Father Santapau. I am indebted to Prof. Bole for his generosity and sharing of valuable knowledge and experience. I am highly thankful to Prof. C.K. Atal, Director, Regional Research Laboratory, Canal Road, Jammu-Tawi for providing necessary facilities during the course of study. Dr. C.L. Chopra, Acting Director, RRL, Jammu was courteous enough to encourage the publication of this book. Late Prof. N.L. Bor, a renowned Botanist and Grass Specialist was kind enough to identify some difficult grasses. Thanks are due to Drs. S.N. Sobti, B.K. Bhat and T.N. Kaul for time to time encouragement. I am indebted to the authorities of Royal Botanical Gardens, Kew, England, Central National Herbarium, Sibpur, Howrah and Forest Research Institute, Dehra Dun for their co-operation in identification of some confusing taxa.

M.K. KAUL

SRINAGAR,
Nov. 26, 1985.

FOREWORD

Weeds are defined as plants growing where they are not wanted. With the intensive culture of crop plants, where maximum yield is the sole criterion; weeds have been found to be one of the important causes of reduction in yield. The study of weeds—their identity, habitat, morphology and life history; have assumed great importance recently, especially so in India. In Kashmir their importance is all the more greater, since local economy is practically dependent upon the crops grown in limited summer season.

The book is practically the first definitive work on the subject and is specially indispensable for the Kashmir region. Author has done a marvellous work by presenting a weed flora of agricultural crops in and around the valley. The Valley of Kashmir which is endowed with great scenic beauty, is also known since ancient times for specialised crops, i.e., saffron and vegetables grown on floating islands.

The book contains critical taxonomic treatment of 401 weed species belonging to 251 genera distributed over 56 families of Angiosperms. It is represented by 223 natives and 178 introduced species. Proper keys for identification and important phenological data has been provided. There are a number of new records for Kashmir and some for the country as a whole. Illustrations of 100 common weed species, made by the author himself, are also provided.

It is hoped that the book will be useful to the students of botany, amateur collectors and agriculturists.

SRINAGAR,
June 14, 1985.

Prof. C.K. ATAL
DIRECTOR,
Regional Research Laboratory,
Canal Road,
JAMMU-TAWI 180 001—India

CONTENTS

| | |
|-----------------------------------------------------------------------------------------------------------------------|-----|
| INTRODUCTION | 1 |
| Definition and characteristics of a weed | 1 |
| Origin of weeds | 1 |
| Distribution of weeds | 2 |
| Geography of Area | 3 |
| Bioclimate | 3 |
| Soils | 4 |
| Crops | 4 |
| Objectives of the present study | 5 |
| Review of literature on weed of India | 6 |
| Economic importance of weeds | 6 |
| Materials & Methods | 7 |
| Abbreviations | 9 |
| Description of Weeds | 11 |
| Appendix I Studies on the dissemination, average seed out put and percentage viability of 177 common weeds of Kashmir | 375 |
| Appendix II Contribution to the new records for Kashmir | 386 |
| Appendix III Contribution to the new records for India from Kashmir | 387 |
| Appendix IV (1) Germination studies on common weeds of Kashmir | |
| I. <i>Senecio vulgaris</i> | 387 |
| Appendix IV (2) Correlation of temperature and germination in <i>Veronica didyma</i> Tenore | 389 |
| Appendix IV (3) A Comparison of the germination character of 4 species of Chenopodiaceae | 390 |
| Appendix V Comparison of competitive ability of two common weed species | 391 |
| Appendix VI Composition of weed flora in wheat fields of Kashmir | 393 |
| References | 405 |
| Index to local names | 409 |
| Index to botanical names | 411 |

List of figures

| | | |
|-----|--------------------------------------------------|-----|
| 1. | <i>Delphinium roylei</i> Munz. | 17 |
| 2. | <i>Anemone biflora</i> DC. | 18 |
| 3. | <i>Adonis aestivalis</i> Linn. | 19 |
| 4. | <i>Ranunculus sceleratus</i> Linn. | 20 |
| 5. | <i>Ranunculus cantoniensis</i> DC. | 21 |
| 6. | <i>Ranunculus laetus</i> Wall. | 22 |
| 7. | <i>Ranunculus arvensis</i> Linn. | 23 |
| 8. | <i>Ranunculus muricatus</i> Linn. | 24 |
| 9. | <i>Ceratocephalus testiculatus</i> (Crantz) Roth | 41 |
| 10. | <i>Sisymbrium irio</i> Linn. | 42 |
| 11. | <i>Descaurainea sophia</i> (L.) Webb. | 43 |
| 12. | <i>Cardamine hirsuta</i> Linn. | 44 |
| 13. | <i>Neslia apiculata</i> (Fisch. Mey & Lall) Mey. | 45 |
| 14. | <i>Malcolmia africana</i> (L.) R.Br. | 46 |
| 15. | <i>Goldbachia laevigata</i> (M. Bieb.) DC. | 47 |
| 16. | <i>Viola odorata</i> Linn. | 48 |
| 17. | <i>Holosteum umbellatum</i> Linn. | 65 |
| 18. | <i>Cerastium glomeratum</i> Thuill. | 66 |
| 19. | <i>Arenaria serpyllifolia</i> Linn. | 67 |
| 20. | <i>Portulaca oleracea</i> Linn. | 68 |
| 21. | <i>Geranium polyanthes</i> Edgew. | 69 |
| 22. | <i>Erodium cicutarium</i> (L.) L' Herit | 70 |
| 23. | <i>Impatiens brachycentra</i> Kar. et Kir. | 71 |
| 24. | <i>Trifolium repens</i> Linn. | 72 |
| 25. | <i>Medicago polymorpha</i> Linn. | 97 |
| 26. | <i>Medicago lupulina</i> Linn. | 98 |
| 27. | <i>Melilotus alba</i> Medicus ex Desr. | 99 |
| 28. | <i>Lespedeza cuneata</i> G. Don | 100 |
| 29. | <i>Aeschynomene indica</i> Linn. | 101 |
| 30. | <i>Geum urbanum</i> Linn. | 102 |
| 31. | <i>Potentilla supina</i> Linn. | 103 |
| 32. | <i>Agrimonia eupatoria</i> Linn. | 104 |
| 33. | <i>Oenothera rosea</i> Soland. | 129 |
| 34. | <i>Epilobium hirsutum</i> Linn. | 130 |
| 35. | <i>Epilobium royleanum</i> Hausskn. | 131 |

| | | |
|-----|--------------------------------------------------------|-----|
| 36. | <i>Valerianella szovitziana</i> Fisch. et Mey. | 132 |
| 37. | <i>Senecio vulgaris</i> Linn. | 133 |
| 38. | <i>Aster pilosus</i> Willd. var. <i>demotus</i> Blake | 134 |
| 39. | <i>Conyza bonariensis</i> (L.) Cronquist | 135 |
| 40. | <i>Erigeron annuus</i> Pers. | 136 |
| 41. | <i>Bidens tripartita</i> Linn. | 153 |
| 42. | <i>Eclipta prostrata</i> (L.) L. | 154 |
| 43. | <i>Matricaria chamomilla</i> L. | 155 |
| 44. | <i>Myriactis wallichii</i> Less. | 156 |
| 45. | <i>Bellis perennis</i> Linn. | 157 |
| 46. | <i>Gnaphalium luteoalbum</i> Linn. | 158 |
| 47. | <i>Chrysanthemum parthenium</i> (L.) Bernh. | 159 |
| 48. | <i>Crepis sancta</i> (L.) Babcock | 160 |
| 49. | <i>Sonchus asper</i> (L.) Hill | 185 |
| 50. | <i>Garhadiolus minutissimus</i> (Bunge) Kitamura | 186 |
| 51. | <i>Androsace rotundifolia</i> Hardw. | 187 |
| 52. | <i>Anagallis arvensis</i> Linn. | 188 |
| 53. | <i>Canscora decussata</i> Roem. et Schultes | 189 |
| 54. | <i>Phacelia tanacetifolia</i> Benth. | 190 |
| 55. | <i>Asperugo procumbens</i> Linn. | 191 |
| 56. | <i>Bothriospermum tenellum</i> (Hornem.) Fisch. & Mey. | 192 |
| 57. | <i>Anchusa ovata</i> Lehm. | 201 |
| 58. | <i>Convolvulus arvensis</i> Linn. | 202 |
| 59. | <i>Ipomoea eriocarpa</i> R. Br. | 203 |
| 60. | <i>Solanum nigrum</i> Linn. | 204 |
| 61. | <i>Mazus delevayi</i> Bonati | 205 |
| 62. | <i>Kickxia subsessilis</i> Pennell | 206 |
| 63. | <i>Veronica verna</i> Linn. | 207 |
| 64. | <i>Veronica biloba</i> Linn. | 208 |
| 65. | <i>Veronica secunda</i> Pennell | 225 |
| 66. | <i>Verbena officinalis</i> Linn. | 226 |
| 67. | <i>Lycopus europaeus</i> Linn. | 227 |
| 68. | <i>Sideritis montana</i> Linn. | 228 |
| 69. | <i>Marrubium vulgare</i> Linn. | 229 |
| 70. | <i>Nepeta cataria</i> Linn. | 230 |
| 71. | <i>Lamium amplexicaule</i> Linn. | 231 |
| 72. | <i>Acroglochin persicarioides</i> (Poir.) Miq. | 232 |
| 73. | <i>Polygonum orientale</i> Linn. | 249 |
| 74. | <i>Polygonum persicaria</i> Linn. | 250 |
| 75. | <i>Polygonum nepalense</i> Meissn. | 251 |
| 76. | <i>Thymelaea passerina</i> (Linn.) Cass. | 252 |
| 77. | <i>Chrozophora obliqua</i> (Vahl) Juss. | 253 |
| 78. | <i>Tulipa stellata</i> Hook.f. | 254 |

| | | |
|------|--------------------------------------------------------------------|-----|
| 79. | <i>Ornithogalum umbellatum</i> Linn. | 255 |
| 80. | <i>Gagea dschungarica</i> Regel | 256 |
| 81. | <i>Monochoria vaginalis</i> (Linn.) Presl | 273 |
| 82. | <i>Alisma plantago-aquatica</i> Linn. | 275 |
| 83. | <i>Cyperus michelianus</i> (Linn.) Link | 277 |
| 84. | <i>Cyperus iria</i> Linn. | 279 |
| 85. | <i>Cyperus rotundus</i> Linn. | 305 |
| 86. | <i>Fimbristylis bisumbellata</i> (Forsk.) Bub. | 307 |
| 87. | <i>Scirpus mucronatus</i> Linn. ssp. <i>robustus</i> (Miq.) Koyama | 309 |
| 88. | <i>Carex stenophylla</i> Wahl. | 311 |
| 89. | <i>Sorghum halepense</i> (Linn.) Pers. | 337 |
| 90. | <i>Agropyron canaliculatum</i> Nevski | 339 |
| 91. | <i>Agropyron striatum</i> Nees ex Steud. | 341 |
| 92. | <i>Lolium temulentum</i> Linn. | 343 |
| 93. | <i>Hordeum murinum</i> Linn. | 353 |
| 94. | <i>Stipa sibirica</i> (Linn.) Lamk. | 355 |
| 95. | <i>Bromus inermis</i> Leyss. | 357 |
| 96. | <i>Bromus scoparius</i> Linn. | 359 |
| 97. | <i>Bromus lanceolatus</i> Roth | 361 |
| 98. | <i>Poa bulbosa</i> Linn. | 362 |
| 99. | <i>Poa angustifolia</i> Linn. | 363 |
| 100. | <i>Poa annua</i> Linn. | 364 |

